

FW Shell DIAL Study Reports for Canisters 4569 1393 1661 (Shell)

**From:** Hoyt, Dan - HLT

**Sent:** Tuesday, April 20, 2010 10:40 AM

**To:** Francis.Agostini@cityofhouston.net

**Subject:** FW: Shell DIAL Study Reports for Canisters 4569 (Land 15th Street), 1393 (TOL913), 1661 (P and 15 Street, South of Hydroprocessing Control Room and Southeast of CR3)

**Sensitivity:** Confidential

**Attachments:** Untitled Attachment; Shell HRVOC 504-345 March 26, 2010 BBH.pdf; Shell HRVOC 504-343 March 23, 2010 BBH.pdf; Shell HRVOC 504-344 March 25, 2010 BBH.pdf; Daniel Hoyt.vcf

Daniel Hoyt, P.E., Supervising Engineer  
Bureau of Air Quality Control  
Environmental Health Division  
Health and Human Services Department  
City of Houston  
7411 Park Place Blvd.  
Houston, TX 77087  
Phone: (832) 393-5631  
Fax: (713) 640-4341



The information contained in this email message is intended only for use of the individual or entity named above. If you are not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone (832) 393-5631, and destroy the original message. Thank you.

---

**From:** B.Bessettehenderson@shell.com [mailto:B.Bessettehenderson@shell.com]

**Sent:** Thursday, April 15, 2010 10:59 AM

**To:** Hoyt, Dan - HLT; ccolville@environcorp.com

**Cc:** Arnoldo.Medina@shell.com; steven.hansen@shell.com; gary.mueller@shell.com

**Subject:** FW: Shell DIAL Study Reports for Canisters 4569 (Land 15th Street), 1393 (TOL913), 1661 (P and 15 Street, South of Hydroprocessing Control Room and Southeast of CR3)

**Sensitivity:** Confidential